

2024-04-30

'My Life': How a co-produced lifestyle intervention can support individuals with severe mental illness to live well

Dowdeswell, Nicola

Dowdeswell, N. 'My Life': How a co-produced lifestyle intervention can support individuals with severe mental illness to live well.', South West Clinical School Journal, 4, SE1

<https://pearl.plymouth.ac.uk/handle/10026.1/22342>

<https://doi.org/10.24382/0z7h-t488>

University of Plymouth

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

#400WORDS: DELIVERING A RESEARCH SKILLED WORKFORCE SPECIAL EDITION

‘My Life’: How a co-produced lifestyle intervention can support individuals with severe mental illness to live well.

Nicola Dowdeswell¹

¹Community Physiotherapist, Gloucestershire Health and Care NHS Foundation Trust, GLOUCESTER, GL3 4AW, UK.

Email: nicola.dowdeswell@ghc.nhs.uk

Submitted for publication: 29 January 2024

Accepted for publication: 18 March 2024

Published: 30 April 2024

Background

Individuals with severe mental illness (SMI) die twenty years earlier than the general population (Firth, 2019). This is partly attributable to the development of cardio-metabolic diseases, cancer and obesity, often as a result of sedentary lifestyles (Firth, 2019) and the side effects of prescribed medication (Vancampfort, 2015). Stigma, social exclusion, a lack of motivation, and social support compound these problems (Fortuna, 2021). To optimise chances of permanent lifestyle change, interventions are required that promote inclusion, acceptance, and a sense of belonging. The aim of this service evaluation was to increase physical activity levels working in partnership with a leisure centre provider to enable individuals with SMI to live well in their local community.

Method

A 12-week group programme was established. Facilitated by a mental health physiotherapist, this included education (healthy eating, physical activity, goal setting, dental health, sleep, and relaxation), physical activity (moderate to vigorous intensity exercise led by a Health & Fitness consultant) and peer discussion/reflection. Sessions were two hours long and participants were invited to attend twice a week. Participants paid £3 per session. Assessments were completed at weeks 1 and 12, and included: blood pressure, resting heart rate, height, weight, BMI, 1-minute sit to stand test (STS) (Strassmann, 2013), BORG 6-20 Rate of Perceived Exertion scale (RPE) (CDC, 2022), 6-minute walk test (6MWT) (Laskin, 2007), and the PROMiS Global 10 questionnaire (PROMIS, 2015). Each participant was provided with an activity tracker and a personal 'My Life' journal.

Results

Eight adults (4 female) with a mean age 40 (range 25-50) commenced the programme. 6 out of 8 (75%) completed the 12-week programme. 5 out of 8 (62.5%) completed 17 out of

20 (85%) sessions. There was improvement in muscular and cardio-respiratory endurance with a mean increase of 9 repetitions (range 2-16) in the 1-minute STS test and a mean increase of 186 metres (range 50-340) in 6MWT. Mean improvement in RPE was +4 (range 1-6) in the 6MWT. There was minimal change in weight and BMI. Participants feedback was positive reporting 'feeling safe', 'trust', 'more confidence' to exercise and enjoyed 'being pushed'.

Participants also experienced 'a camaraderie which helped to motivate myself and others in the group.'

Conclusion

The "My Life" group programme introduced adults with SMI to supervised physical activity and improved elements of their physical fitness and mental health. Participants felt part of their local community and confident to attend the leisure centre and "invest" in physical activity sessions to continue to live well.

References.

Firth, J., Siddiqi, N., Koyanagi, A., Siskind, D., Rosenbaum, S., Galletly, C., Allan, S., Canejo, C., Carney, R., Carvalho, A. F., Chatterton, M. L., Correll, C.U., Curtis, J., Gaughran, F., Heald, A., Hoare, E., Jackson, S.E., Kisely, S., Lovell, K., Maj, M., ...and Stubbs, B. (2019) 'The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness', *Lancet Psychiatry*, 6(8), pp. 675-712.

Vancampfort, D., Stubbs, B., Mitchell, A.J., De Hert, M., Wampers, M., Ward, P.B., Rosenbaum, S., Correll, C.U. (2015) 'Risk of metabolic syndrome and its components in people with schizophrenia and related psychotic disorders, bipolar disorder and major depressive disorder: a systematic review and meta-analysis', *World Psychiatry*, 14(3), pp. 339-347.

Fortuna, K.L., Williams, A., Mois, G., Jason, K., and Bianco, C. L. (2022) 'Social Processes Associated with Health and Health Behaviors Linked to Early Mortality in People With a Diagnosis of a Serious Mental Illness', *Perspectives on Psychological Science*, 17(1), pp. 183-190.

Strassmann, A., Steurer-Stey, C., Lana, K.D., Zoller, M., Turk, A.J., Suter, P., and Puhan, M.A. (2013) 'Population-based reference values for the 1-min sit-to-stand test', *International Journal of Public Health*, 58(6), pp. 949-53.

Centre for Disease Control and Prevention (2022) *Borg Rating of Perceived Exertion Scale*, Available at <https://www.cdc.gov/physicalactivity/basics/measuring/exertion.htm> (Accessed: 15 March 2024).

Laskin, J. J., Bundy, S., Marron, H., Moore, H., Swanson, M., Blair, M., & Humphrey, R. (2007) 'Using a Treadmill for the 6-Minute Walk Test', *Journal of Cardiopulmonary Rehabilitation and Prevention*, 27, pp. 407-410.

PROMIS Health Organization PCG. (2015) *PROMIS Instrument Development and Validation Scientific Standards Version 2.0*. Available at <http://www.healthmeasures.net/explore-measurement-systems/promis/measure-development-research> (Accessed 15 March 2024).



This is an open access article distributed under the terms of the Creative Commons Attribution Non-Commercial 4.0 International (CC BY-NC-SA 4.0) licence (see <https://creativecommons.org/licenses/by-nc-sa/4.0/>) which permits others to copy and redistribute in any medium or format, remix, transform and on a non-commercial basis build on this work, provided appropriate credit is given. Changes made need to be indicated, and distribution must continue under this same licence.