South West Clinical School Journal

South West Clinical School Journal - Issue 4, SE1, 2024

2024-04-30

What nurses do right! How resilient variation in medication administration practice creates and maintains safety: an ethnographic study in progress

Kellett, Pollyanna

Kellett, P. et al. 'What nurses do right! How resilient variation in medication administration practice creates and maintains safety: an ethnographic study in progress', South West Clinical School Journal, 4, SE1

https://pearl.plymouth.ac.uk/handle/10026.1/22349

https://doi.org/10.24382/p9k0-t150 University of Plymouth

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

South West Clinical School Journal

Online Journal of the South West Clinical School



#400WORDS: DELIVERING A RESEARCH SKILLED WORKFORCE SPECIAL EDITION

What nurses do right! How resilient variation in medication administration practice creates and maintains safety: an ethnographic study in progress

Pollyanna Kellett¹ Professor Bryony Dean Franklin² Dr Susie Pearce³ Dr Jonathan Benn⁴

¹Lecturer Adult Nursing, University of Plymouth, School of Nursing and Midwifery, PLYMOUTH, PL4 6AB, UK. ²Professor of Medication Safety, UCL School of Pharmacy, LONDON, WC1N 1AX, UK. ³Associate Professor in Clinical Nursing (Research), University of Plymouth, School of Nursing and Midwifery, PLYMOUTH, PL4 8AA, UK. ⁴Associate Professor in Healthcare Quality and Safety, University of Leeds, School of Psychology, LEEDS, LS2 9JU, UK.

Email: pollyanna.kellett@plymouth.ac.uk
Submitted for publication: 29 January 2024
Accepted for publication: 18 March 2024

Published: 30 April 2024

Background

Registered nurses and nursing associates are accountable for preserving patient safety in safe use of medicines. At times of complexity and organisational stress, variations in medication administration practice are often necessary actions in response to environmental and contextual factors in the clinical setting, resulting from competing and conflicting demands (Sujan *et al.*, 2019). We explore these adaptive variations as evidence of 'resilience', which is the mechanism to achieve reliability (safety) over time.

Resilience is about maximising things that go right and minimising things that go wrong (NHS, 2019), and adapting to challenges to maintain quality care (Wiig *et al.*, 2020). Adaptations reflect 'work as it is done', rather than as 'work as imagined' in guidelines and policy (Hollnagel *et al.*, 2013). Review findings show most resilient practices are unanticipated, short lasting and intermittent, which reflect 'find and fix' solutions (Hollnagel *et al.*, 2013), leaving a need for further exploratory work into longer term safety.

Method

An eight-month qualitative interpretive ethnographic study was undertaken in two different wards in an NHS hospital Trust in the South-West, with three data collection methods: observation, interview, and document review. Data analysis used reflexive thematic analysis (Braun and Clarke, 2022). Ethical and research governance approvals were obtained from the Health Research Authority, Integrated Research Application System, Leeds University, and the host Trust's Research and Development Service.

Results

Data from 115 hours of observation and 14 interviews suggests that a process of reactive or proactive decision-making and problem solving supports nurses to create safety in medication administration. Factors driving variation from planned practice are triggered by nurses seeking to address an array of issues (balancing risks, interruptions, pressure, environment, and workload) to maintain safety before, during or after their medicine rounds. Some variation challenges reliability and safety. Data analysis is ongoing with further findings shared at the Developing a Research Skilled Workforce 2023 conference (https://tinyurl.com/zjsa483y).

Conclusion

A range of adaptive resilient practices are utilised to maintain safety, identifying areas where nurses are proactive in saving the system through their adjustments, compensations and recoveries, the 'Hero', rather than the 'Hazard', where the dominant view focuses on mistakes (Reason, 2008). Nurses themselves offer opportunities to evolve processes to enhance safety. Tensions can arise where variations deviate from guidelines and policy.

Implications for practice:

- We show an alternative view of variation and adaptive strategies where nurses are proactively creating safety
- Adoption of resilient strategies are exemplars of new ways of working to maintain safety

References

Braun, V., Clarke, V. (2022) Thematic Analysis A practical guide. London: Sage Publishing.

Hollnagel, E., Braithwaite, J., and Wears, R. (2013) 'On the need for resilience in health care', in Hollnagel, E., Braithwaite, J., and Wears, R. (eds) *Resilient Health Care*. Farnham, UK: Ashgate Publishing Ltd.

NHS England and NHS Improvement (2019) *The NHS Patient Safety Strategy: safer cultures, safer systems, safer patients.* Available at https://www.england.nhs.uk/wp-content/uploads/2020/08/190708 Patient Safety Strategy for website v4.pdf (Accessed 4th December 2020).

Reason, J. (2008) *The Human Contribution – Unsafe Acts, Accidents and Heroic Recoveries*. Aldershot, England: Ashgate Publishing Ltd.

Sujan, M.A., Furniss, D., Anderson, J., Braithwaite, J and Hollnagel, E. (2019) 'Resilient Health Care as the basis for teaching patient safety – A Safety-II critique of the World Health Organisation patient safety curriculum', *Safety Science*, 118(219), pp. 15-21.

Wiig, S., Aase, K., Billett, S., Canfield, C., Røise, O., Njå, O., Guise, V., Haraldseid-Driftland, C., Ree, E., Anderson, J. E., Macrae, C., and RiH-team. (2020) 'Defining the boundaries and operational concepts of resilience in the resilience in healthcare research program', *BMC Health Services Research*, 20(1), pp. 330. DOI: https://doi.org/10.1186/s12913-020-05224-3



This is an open access article distributed under the terms of the Creative Commons Attribution Non-Commercial 4.0 International (CC BY-NC-SA 4.0) licence (see https://creativecommons.org/licenses/by-nc-sa/4.0/) which permits others to copy and redistribute in any medium or format, remix, transform and on a non-commercial basis build on this work, provided appropriate credit is given. Changes made need to be indicated, and distribution must continue under this same licence.