2017-11-10

A randomised crossover trial investigating actual and perceived changes in peak knee extensor torque following Kinesio Tape application.

Walsh, E

<http://hdl.handle.net/10026.1/10444>

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

A randomised crossover trial investigating actual & perceived changes in peak knee extensor torque following Kinesio Tape® application

Walsh, E.¹ Barrett, J.¹ Beeson, J.¹ Zammit, M.¹ & Rickard, A.²

¹BSc (Hons) Physiotherapy, School of Health Professions, Plymouth University

²Programme Lead, BSc (Hons) Physiotherapy, School of Health Professions, Plymouth University alec.rickard@plymouth.ac.uk

Purpose and existing literature (KT = Kinesio tape)

Aktas and Baltaci (2011)

KT **does improve** peak knee extensor torque 180°/s ($P = 0.031$) 60°/s ($P = > 0.05$)

Wong *et al.* (2012)

KT **does not improve** peak knee extensor torque ($P = > 0.05$) but does decrease time to reach ($P = 0.03$)

Csapo and Alegre (2015)

Meta analysis Very small population effect ($r = 0.05$)

Placebo response has been specifically identified as an area that requires further investigation (Vercelli *et al.*, 2013)

No studies comparing strength and perceived strength following KT application were found following multiple database searches

Is there a correlation between actual and perceived changes in peak knee extensor torque following Kinesio Tape® application?

- Primary aim
 - to determine whether there is a *correlation* between actual and perceived changes in peak knee extensor torque following kinesio taping ®
- Secondary aim
 - to determine the extent to which kinesio taping improves peak knee extensor torque

Design and methods (GRCS = Global Rating of Change Scale)

GRCS: “With respect to trials performed without tape, how would you describe your leg when the tape was applied?”

Inclusion Criteria

- Participate in at least an hour of sporting activity per week
- Aged 18-30

Exclusion Criteria

- History of traumatic injury or surgery in the lower limb
- Sensory deficit of the lower limbs
- Current lower limb pain
- Allergy to tape/adhesive material

Results

Sham perception

■ Weaker ■ Unchanged ■ Stronger

K tape perception

■ Weaker ■ Unchanged ■ Stronger

Table 1. Correlation of actual and perceived peak torque (N=36)

Output	Spearman's correlation	
	Correlation Coefficient (r_s)	Sig. (2-tailed)
Sham tape / GRCS	0.133	0.438
Kinesio Tape / GRCS	-0.142	0.408

Conclusions:

- KT improves perceived knee extensor torque
- KT does not improve actual peak knee extensor torque
- Changes in perceived and actual torque do not correlate

1

KT should not be used to enhance strength

2

Belief does not impact efficacy

3

High performance sport potential exception

Considerations and Implications

Psychological benefits may play a greater role in affecting actual strength output when applying it to more functional movement within the context of real life competition.

Although it appears any such effect is small, the slimness of margins can make a difference in elite, high performance sport.

It is also unclear whether changes in perception may benefit performance when combined with other treatments.

References:

- Aktas, G. and Baltaci, G. (2011) 'Does kinesiotaping increase knee muscles strength and functional performance', *Isokinetics and exercise science*, 19(3) pp. 1-7.
- Csapo, R. and Alegre, L. (2015) 'Effects of Kinesio® taping on skeletal muscle strength-A meta-analysis of current evidence', *Journal of Science and Medicine in Sport*, 18(4) pp. 450-6.
- Vercelli, S., Sartorio, F., Foti, C., Colletto, L., Virton, D., Ronconi, G. and Ferriero, G. (2012) 'Immediate Effects of Kinesiotaping on Quadriceps Muscle Strength: A Single-Blind, Placebo-Controlled Crossover Trial', *Clinical Journal of Sports Medicine*, 22 pp. 319–326.
- Wong, O., Cheung, R., and Li, R. (2012) 'Isokinetic knee function in healthy subjects with and without Kinesio taping', *Physical Therapy in Sport*, 13(4) pp. 255-8