04 University of Plymouth Research Theses

https://pearl.plymouth.ac.uk

01 Research Theses Main Collection

2012

## A GIS BASED SPATIAL DECISION SUPPORT SYSTEM FOR LANDSCAPE CHARACTER ASSESSMENT

## Davey, Faye Elanor


http://hdl.handle.net/10026.1/1168

http://dx.doi.org/10.24382/3923 University of Plymouth

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

b) A file of elevation zones was created by analysing the data using Natural Breaks classification which identifies natural breaks inherent in the data, five classes were optimal for distinguishing between the river corridor, slopes and upland areas.

	Elevation (m)	
1	<=37	
2	>=38 and <= 90	
3	>=91 and <= 140	
4	>=141 and <= 203	
5	>=203	
	2 3 4	







Figure 5.6 Model 1 - Landform (FOLD OUT)


Valley AONB reveals elevations of up to 331m.

c) Slope values were derived from the digital elevation model and displayed in classes according to standard slope descriptors.


Degrees	Descriptor
0 03 – 1.1 1.1 – 3 3 – 5 5 – 8.5 8.5 – 16.5 16.5 – 24	Level Nearly level Very gentle slope Gentle slope Moderate slope Strong slope Very strong slope
24 – 35 > 35	Extreme slope Very steep slope








d) Zonal statistics were performed on the slope data to determine the average slope of each elevation zone.



e) Once the zonal statistics had been performed the elevation zone data was combined with the average slope data to give five classes which had both elevation and slope values, these could then be reclassified into landform types.

Class	Elevation (m)	Average Slope (°)
1	>= 38 AND <= 90	10
2	>= 91 AND <= 140	7
3	>= 141 AND <= 203	4
4	<= 37	1
5	>= 203	5



f) Three classes were identified from the elevation and slope data. These were the river corridor with the evaluation below 37m with moderate slopes, the steep valley sides from 38m - 90m which has strong slopes, and the upper slopes above a 90m elevation with moderate slopes.