Faculty of Arts and Humanities

School of Art, Design and Architecture

2021-04

Impacts of land covers on stormwater runoff and urban development: A land use and parcel based regression approach

Zhou, L

http://hdl.handle.net/10026.1/19499

10.1016/j.landusepol.2021.105280 Land Use Policy Elsevier BV

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.



Land Use Policy Volume 103, April 2021, 105280

Impacts of land covers on stormwater runoff and urban development: A land use and parcel based regression approach

Long Zhou ^{a, b ⊠}, Guoqiang Shen ^{c, d} 은 쯔, Chaosu Li ^a 쯔, Tian Chen ^b 쯔, Sihong Li ^a 쯔, Robert Brown ^e 쯔

Show more \checkmark

😪 Share 🌗 Cite

https://doi.org/10.1016/j.landusepol.2021.105280

Get rights and content

Abstract

Extensive studies have shown that stormwater yield and quality in a city are heavily influenced by its land uses and land covers (LULC). However, the majority of these studies have been done at the major watershed levels using remote sensing data with only a few urban LULC types and at lower resolutions. This empirical study uses the City of Corvallis, Oregon in the U.S. as a case to establish robust regression relations between existing urban LULC and stormwater yield or quality at the land parcel level by environmental models and high-resolution spatial data. The environmental models are based on parcel-level hydrological conditions and spatial analysis to assess the watersheds and land parcels suitable for minimal stormwater yield and highest quality for single and mixed-use urban development scenarios containing buildings, roads & driveways, sidewalks & paths, parking lots and open spaces. This study not only can provide a novel approach for local jurisdictions to evaluate the impacts of public urban development plans on a built environment but can assist private property owners to estimate the impacts of their private development projects. In addition to analysing hydrological conditions and conducting green infrastructure design upon the completed urban land use plan in previous studies, the present work indicates the necessity and possibility to apply parcel-level hydrological spatial analysis to assist local land use planners and watershed managers in making informed decisions with regard to land development scenarios at the initial stage.

Introduction

From the land use perspective, a city's urban spatial development and form can be regarded as the process and outcome of physically adding, removing, changing, or retaining various buildings and pavements compatible with different land uses over time (Arnold and Gibbons, 1996). On the one hand, urban streets, roads, sidewalks and parking lots are largely paved with impermeable concrete or asphalt. On the other 04/08/2022, 17:49

Impacts of land covers on stormwater runoff and urban development: A land use and parcel based regression approach - ScienceDirect hand, almost all traditionally constructed building rooftops are designed as rainwater resistant surfaces, regardless of whether they are flat or pitched. These impervious surfaces together form the city's extensive urbanised or built-up areas and drastically alter natural ecosystems. Extensive urban and environmental studies, particularly those on large cities or metros, have shown that these hard and water-proof surfaces literally constitute the urban form and generate greater discharge of stormwater runoff and nonpointsource pollution, which are the main causes of urban flooding damage and water quality degradation (Forman and Alexander, 1998).

Small cities have grown rapidly in the U.S. since the 1950s in filling the urban-rural gap (Sýkora and Mulíček, 2017). Low-density built-up areas are added while expanding impervious surfaces (Kim and Li, 2016), and social-hydrological interactions are exacerbated in small cities (Lim, 2016; Zhou, 2019). However, the impacts of land parcels with different uses, single or mixed, with various buildings, rooftops and pavements, on stormwater runoff and quality in small cities are yet to be fully explored. This study, using the City of Corvallis, Oregon, a small but one of the best places for American middle-class families (Livability, 2018), as a test-bed, explores the impacts of urban land use and land cover (LULC) on stormwater yield and quality, which in turn, simulates urban development scenarios for major land uses, including residential, commercial and industrial, at the land parcel level. This study can provide insights into sustainable urban form and growth notably in relation to ecosystem services, enhance compatible land use policies and controls, and encourage the best and highest land development practices.

Specifically, this study has two objectives. The first is to establish reliable regression associations between existing land cover compositions of different land uses as independent variables, and urban stormwater yield and quality as dependent variables at the land parcel level for the entire city. The second is to identify suitable areas for water-sensitive urban land use development according to the City's future development scenarios. These goals are achieved through our environmental and regression models at the land parcel level. Parcel is the smallest unit of land ownership, which is the base for property taxes to governments and development decisions by property owners in the U.S. Land cover is used in this study to represent various land surface features including pavements, roofs and urban vegetation (Akbari et al., 2003). Land uses refer to planning regulatory categories in local zoning to secure public safety and welfare (Alfasi et al., 2012). This study concentrates on urban land uses of residence, commerce and industry. These are the main urban activity patterns and private sectors play a significant role in the development projects in these patterns (Nijkamp et al., 2002). Eutrophication due to the excessive non-point source of nitrogen and phosphorus in stormwater runoff has become a serious water pollution problem (Ma et al., 2011), and in environmental studies, land covers in residential, industrial and commercial zonings are considered to be major nonpoint nitrogen and phosphorus sources (Vitro et al., 2005). The use of land parcel data makes more accurate stormwater analyses for minimising possible negative impacts in public land use planning and for smart behaviours in private development. In this regard, our study makes novel contribution to the discourse of sustainable urban land use planning, policy, and practice for the City and beyond.

This paper is organised as follows. After the introduction in Section 1, the connection between urban land covers and stormwater as a concise literature is discussed in Section 2. We then present in Section 3 an environmental model that processes geographical, climatological and biophysical datasets for parcel-level stormwater yield and quality, which are regressed over key impervious land covers for major land uses. In Section 4, we discuss the model results and use the best regression relations to identify suitable areas for future urban development in the City, including single or mixed land use scenarios, on the basis of minimising negative stormwater impacts. Finally, in Section 5, we provide conclusions and directions for future research.

Section snippets

Connections between urban land covers and stormwater yield and quality

Urbanisation has been regarded as an important factor leading to various environment deteriorations (Lyu et al., 2018). In the physical urbanisation process, raw land is notably replaced by human land uses mostly consisting of impervious pavements and building roofs, which alter natural drainage patterns and affect the quantity and quality of stormwater runoff (Goonetilleke et al., 2005;Poelmeans, 2010). As identified in the existing research, the amount of stormwater yield is strongly and...

Study area

The City of Corvallis is located along the Willamette River in central western Oregon on the west coast of the U.S. (see Fig. 1a). Willamette River watershed supports a habitat for wildlife and is a recreation paradise for local citizens in the State of Oregon (see Fig. 1b; OPRD, 2007). The City's water basin comprises of 20 watersheds, color-coded as shown in Fig. 1b. Lewisburg, Frazier Creek, Dry Creek, Oak Creek and Jackson Creek watersheds are dominated by conservation lands and public...

Model results

Stormwater yield and quality are regressed over land covers for each watershed at the parcel level, and the results are grouped for investigation based on the parcel location in each of the 15 watersheds to determine regression relations between LULC and stormwater yield or quality under each watershed's specific climatological, geographic and biophysical conditions. The Willamette River and Northeast Corvallis watersheds are located along the Willamette River and on the edge of the City's UGB, ...

Conclusion and limitation

The impact of urbanisation notably with physical land cover changes on stormwater yield and quality have been studied extensively for multiple urban watersheds and/or a specific site mainly from the perspective of environmental engineering and geosciences. However, given their top-down approach, these studies draw attention mainly from government agencies or scientific communities for public policies but not from individual property owners whose development decisions directly cause stormwater...

CRediT authorship contribution statement

Long Zhou: Conceptualization, Methodology, Investigation, Writing - original draft, Writing - review & editing. **Guoqiang Shen:** Conceptualization, Investigation, Writing - review & editing. **Chaosu Li:** Data curation, Writing - review & editing. **Tian Chen:** Writing - review & editing. **Sihong Li:** Writing - review & editing. **Robert Brown:** Writing - review & editing...

Acknowledgement

This research was supported by the National Natural Science Foundation of China (No. 51708399) and the Macau Science and Technology Development Fund (0039/2020/AFJ)....

References (78)

L. Zhou et al.

An approach to evaluate comprehensive plan and identify priority lands for future land use development to conserve more ecological values Sustainability (2018)

Q. Zhang et al.

The capacity of greening roof to reduce stormwater runoff and pollution Landscape Urban Plan. (2015)

B. Yang et al.

Ecological engineering in a new town development: drainage design in the Woodlands Texas. Ecol. Eng. (2010)

O. Vigiak et al.

Comparison of conceptual landscape metrics to define hillslope-scale sediment delivery ratio Geomorphology (2012)

B. Stone et al.

Land use planning and surface heat island formation: a parcel-based radiation flux approach Atmos. Environ. (2006)

C. Small et al.

Estimation and vicarious validation of urban vegetation abundance by spectral mixture analysis Rmote Sens. Environ. (2006)

J. Redhead et al.

National scale evaluation of the InVEST nutrient retention model in the United Kingdom Sci. Total Environ. (2018)

H. Pearsall et al.

Locating the green space paradox: a study of gentrification and public green space accessibility in Philadelphia, Pennsylvania Landscape Urban Plan. (2020)

J. Pärn et al.

Indicators of nutrients transport from agricultural catchments under temperate climate: a review Ecol. Indic. (2012)

C. Martin-Mikle et al.

Identifying priority sites for low impact development (LID) in a mixed-use watershed Landscape Urban Plan. (2015)

View more references

Cited by (5)

Inter-storm variation in microplastic concentration and polymer type at stormwater outfalls and a bioretention basin

2022, Science of the Total Environment

Show abstract \checkmark

Impacts of land use metrics on urban stream health: Buffalo Creek, North Carolina, USA

2022, Applied Geography

Show abstract \checkmark

How do varying socio-economic factors affect the scale of land transfer? Evidence from 287 cities in China

2022, Environmental Science and Pollution Research

Short-term impacts of urban landscape conversion on surface runoff quality

2022, Urban Ecosystems

Soil sealing and hydrological changes during the development of the university campus of elche (Spain)

2021, International Journal of Environmental Research and Public Health

Recommended articles (6)

Research article

On the effectiveness of restricted tendering as a form of policy intervention on agricultural land markets

Land Use Policy, Volume 103, 2021, Article 105343

Show abstract \checkmark

Research article

Agrarian reform in the Brazilian Midwest: Difficulties of modernization via conventional or organic production systems

Land Use Policy, Volume 103, 2021, Article 105327

Show abstract \checkmark

Research article

The 2008 map of consolidated rural areas in the Brazilian Legal Amazon state of Mato Grosso: Accuracy assessment and implications for the environmental regularization of rural properties

Land Use Policy, Volume 103, 2021, Article 105281

Show abstract \checkmark

Research article

Grass-roots participation to enhance public real estate properties. Just a fad?

Land Use Policy, Volume 103, 2021, Article 105290

Show abstract \checkmark

Research article

Technical efficiency and the adoption of multiple agricultural technologies in the mountainous areas of Northern Vietnam

Land Use Policy, Volume 103, 2021, Article 105289

Show abstract \checkmark

Research article

Foreign demand and high-rise luxury housing projects in two Turkish cities: Ankara and Trabzon

Land Use Policy, Volume 103, 2021, Article 105318

Show abstract \checkmark

View full text

© 2021 Elsevier Ltd. All rights reserved.



Copyright © 2022 Elsevier B.V. or its licensors or contributors. ScienceDirect® is a registered trademark of Elsevier B.V.

