

2022

Sustained pressure ulcer reduction through validation of incidents

Beer, Melissa

Beer, M. and Tarbox, B. (2022). 'Sustained pressure ulcer reduction through validation of incidents', South West Clinical School Journal, 2 (2).

<http://hdl.handle.net/10026.1/19741>

<https://doi.org/10.24382/2cm1-f342>

South West Clinical School Journal

University of Plymouth

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

Quarter 2 2021/22 WINNER

#400WORDS: KNOWLEDGE+ACTION (IMPLEMENTING EVIDENCE-BASED PRACTICE)

Sustained pressure ulcer reduction through validation of incidents

Melissa Beer¹ and Beverly Tarbox²

¹Clinical Nurse Specialist – Tissue Viability, ²Tissue Viability Assistant Practitioner. Royal Cornwall Hospitals NHS Trust, TRURO, TR1 3LJ, UK.

Email: melissa.beer@nhs.net

Submitted for publication: 05 August 2021

Accepted for publication: 09 October 2021

Published: 30 June 2022

Background

Pressure ulcers are a key indicator for quality and safety within NHS hospitals; recognised as an avoidable harm that can cause increased pain and suffering for vulnerable patients (NHS England, 2018). Reporting of pressure ulcer harms through the Datix system plays a vital role in measurement of incidents, as it allows for continuous monitoring and analysis. Data obtained through reporting can support in successfully implementing targeted and effective quality improvement initiatives. However, it should be highlighted that pressure ulcer reporting can often be inaccurate (Ho *et al.*, 2017), which in turn could reflect negatively on an organisation (Coleman *et al.*, 2016). It is also crucial to avoid underreporting of serious harms such as category 3 or 4 pressure ulcers (Macdonald *et al.*, 2021), to avoid risk of further harm to the patient and to correctly identify opportunities to improve through shared learning.


Evidence implementation

The Tissue Viability (TV) team at the Royal Cornwall Hospital have undertaken quality improvement projects to transform pressure ulcer practice. Following successful Plan, Do, Study, Act (PDSA) cycles (NHS Improvement, 2018) and dedication from the team, a robust validation process was implemented. The TV Assistant Practitioner (TVAP) plays a crucial role; undertaking a clinical assessment of the patient, a review of care needs, root cause analysis investigation, and providing education and support for staff in practice. Themes are then reviewed by the TV Clinical Nurse Specialist through monthly pressure ulcer reports. Clinical areas that have reported pressure ulcer harms are invited to monthly meetings to share learning and provide support where required (Ho *et al.*, 2017).

Results

Following implementation of a focused validation process, pressure ulcer harms were reduced by 50%, meeting the reduction target set by the trust. The target was lowered in April 2020 by a further 10% which has been sustained (Table 1), apart from two winter months in 2020 where incidents went slightly over target.

Table 1:



Conclusion

A robust and conclusive approach to pressure ulcer validation has enabled a sustained reduction in reported pressure ulcers. A true representation of incidence enables support and shared learning where it is most required promoting safe, evidenced-based, patient-centred care (NHS England, 2016). The role of the TVAP has enforced this focused approach to harms reduction and culture change within the trust. Within the current NHS climate and drive for change agents (NHS England, 2016), it should be put forward that innovation and improvement can and should be a part of everyday clinical practice, to shape the future of health care and safeguard our most vulnerable patients from harm (The Kings Fund, 2017).

References

- Coleman, S, Smith, I, Nixon, J, Wilson, L, Brown, S. (2016). Pressure ulcer and wounds reporting. *Journal of Tissue Viability*. 25 (1), 16-25.
- Ho, C, Jiang, J, Eastwood, C, Wong, H, Weaver, B, Quan, H. (2017). Validation of two case definitions to identify pressure ulcers using hospital administrative data. Available: <http://bmjopen.bmj.com/>. Last accessed 5th August 2021
- Macdonald, J, Nichols, E, Morris, L, Hiskett, G, Bethell, E. (2020). Spending time to categorise and report pressure ulcers and moisture-associated skin damage — is it worth it?. Available: https://omniamedsso.om-systems.net/sso/check_site_login/site_id/12/login_type/2/ip_hash/166ffb442f189253577b50f3a050bfa2. Last accessed 5th August 2021

NHS improvement. (2018). Plan, Do, Study, Act (PDSA) cycles and the model for improvement. Available: <https://improvement.nhs.uk/documents/2142/plan-do-study-act.pdf>. Last accessed 5th August 2021.

NHS Improvement. (2018). Pressure ulcers: revised definition and measurement . Available: <https://www.whittington.nhs.uk/document.ashx?id=10778> . Last accessed 29th July 2021.

NHS England. (2016). Leading Change Adding Value. Available: <https://www.england.nhs.uk/wp-content/uploads/2016/05/nursing-framework.pdf>. Last accessed 30th July 2021.

The Kings Fund. (2017). Embedding a culture of quality improvement. Available: <https://www.kingsfund.org.uk/sites/default/files/2017-11/Embedding-culture-QI-Kings-Fund-November-2017.pdf>. Last accessed 12th July 2021.



This is an open access article distributed under the terms of the Creative Commons Attribution Non-Commercial 4.0 International (CC BY-NC-SA 4.0) licence (see <https://creativecommons.org/licenses/by-nc-sa/4.0/>) which permits others to copy and redistribute in any medium or format, remix, transform and on a non-commercial basis build on this work, provided appropriate credit is given. Changes made need to be indicated, and distribution must continue under this same licence.