

1985

A Foraminiferal Biostratigraphy of the Upper Cretaceous of the Southern North Sea Basin (UK Sector).

Ball, Kim C.

<http://hdl.handle.net/10026.1/655>


<http://dx.doi.org/10.24382/4772>

University of Plymouth

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

DEPTH (FEET)

Enclosure 1 Biozonation of well 44/2-1



MICROFAUNA

5000	4940	4910	4730	4610	4520	4460	4400	4030	3960	3330	3180	2980	2910	
F.I.12	F.I.11	F.I.10	F.I.9	F.I.8	F.I.7	F.I.6	F.I.5	F.I.4	F.I.3	F.I.2	F.I.1			
EARLY	LATE	EARLY	LATE	EARLY	LATE	EARLY	EARLY	MID	LATE	EARLY	LATE	?		
CENOMANIAN	TURONIAN	CONIACIAN	SANTONIAN				CAMPANIAN			MAASTRICHTIAN		PALEOCENE		STAGE

ENCLOSURE 4

49/20-2

Enclosure 4 Stratigraphic correlation of the studied well sections (North-South)



BIOSTRATIGRAPHY

STAGE	AGE	ZONE
PALEOCENE	?	
MAASTRICHTIAN	LATE	F.I.1
	EARLY	F.I.2
CAMPANIAN	LATE	F.I.3
	MID	F.I.4
	EARLY	F.I.5
SANTONIAN	LATE	F.I.6
	EARLY	F.I.7
CONIACIAN		F.I.8
TURONIAN	LATE	F.I.9
	EARLY	F.I.10
CENOMANIAN	MID-EARLY	F.I.11
	EARLY	F.I.12

44/2-1

49/19-1

LITHOSTRATIGRAPHY

FORM	DUTCH		UK
	GROUP		
OMMELANDEN			
CHALK			
CHALK GROUP			
TEXEL			

PLENUS MARL

PLENUS MARL DATUM

PLENUS MARL DATUM

PLENUS MARL

NORTH


SOUTH

DISTANCE BETWEEN WELLS NOT TO SCALE

— MAJOR STRATIGRAPHIC BOUNDARIES

SCALE (FEET)
500
200
100
0


DEPTH (FEET)



MICROFAUNA

6640	6560	6505	6170	6020	5810	5750	5660	5480	5130	3470	3170	2780	2720	
F.I.12	F.I.11	F.I.10	F.I.9	F.I.8	F.I.7	F.I.6	F.I.5	F.I.4	F.I.3	F.I.2	F.I.1	?		ZONE
EAR	MID	EARLY	LATE	EARLY	LATE	EARLY	EARLY	MID	LATE	EARLY	LATE	?		AGE
CENOMANIAN	TURONIAN		CONIACIAN		SANTONIAN		CAMPANIAN			MAASTRICHTIAN			PALEOCENE	STAGE

Enclosure 2 Biozonation of well 49/19-1



MICROFAUNA

2900	2865	2650	2520	2330	2210	2060	2000	1880	1550	1530	1460	1390	
F.I.12	F.I.11	F.I.10	F.I.9	F.I.8	F.I.7	F.I.6	F.I.5	F.I.4	F.I.3	F.I.2	F.I.1		ZONE
EARLY	LATE		EARLY	LATE	EARLY	MID	LATE				?		AGE
MAINTAN	CENO	TURONIAN	CONIACIAN	SANTONIAN			CAMPANIAN		MAAS	PALE	OCENE		STAGE

KEY TO FOSSIL DISTRIBUTIONS

 Abundant

 Common

 Rare