



UNIVERSITY OF  
PLYMOUTH

Peninsula Dental School

Faculty of Health

2021-12-17



## MDMA and mouth ulcers

Y Lin *Peninsula Dental School*

*Let us know how access to this document benefits you*

### General rights

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

### Take down policy

If you believe that this document breaches copyright please [contact the library](#) providing details, and we will remove access to the work immediately and investigate your claim.

Follow this and additional works at: <https://pearl.plymouth.ac.uk/pds-research>

---

### Recommended Citation

Lin, Y. (2021) 'MDMA and mouth ulcers', *British Dental Journal*, 231(12), pp. 724-724. Available at: <https://doi.org/10.1038/s41415-021-3778-1>

This Article is brought to you for free and open access by the Faculty of Health at PEARL. It has been accepted for inclusion in Peninsula Dental School by an authorized administrator of PEARL. For more information, please contact [openresearch@plymouth.ac.uk](mailto:openresearch@plymouth.ac.uk).



PEARL

## MDMA and mouth ulcers

Lin, Y

**Published in:**  
British Dental Journal

**DOI:**  
[10.1038/s41415-021-3778-1](https://doi.org/10.1038/s41415-021-3778-1)

**Publication date:**  
2021

**Document version:**  
Peer reviewed version

**Link:**  
[Link to publication in PEARL](#)

**Citation for published version (APA):**  
Lin, Y. (2021). MDMA and mouth ulcers. *British Dental Journal*, 231(12), 724-724.  
<https://doi.org/10.1038/s41415-021-3778-1>

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Wherever possible please cite the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

## MDMA and Mouth Ulcers

Sir, MDMA (3,4-methylenedioxymethamphetamine), otherwise known as ecstasy, is an illicit drug which is consumed for recreational use. In addition to systemic complications, it can also present with a variety of oral side effects. These patients may first present to their primary care practitioners before being referred acutely onwards to an oral and maxillofacial surgery or oral medicine department for further investigations and management which has been our experience here in a secondary care setting. It is the author's intention to raise awareness about these oral manifestations and the management options that can be provided for them.

Xerostomia can occur which should subside approximately after 48 hours.<sup>1</sup> Patients should be advised to stay hydrated until normal salivary flow returns. Erosion also occurs due to increased consumption of soft drinks and vomiting during the recreational use of MDMA. A fluoride mouthwash and sugar-free chewing gum is recommended to maintain salivary flow and buffering capacity. Sugar-free chewing gum is also recommended for alleviating the symptoms of bruxism which occurs due to partial inhibition of the jaw opening reflex.<sup>2</sup>

Perhaps one of the most common manifestations for concern is severe, widespread oral ulceration. With these cases, reassurance and a soft diet is advised as these ulcers tend to resolve after 14 days. Management options may include the use of benzydamine, chlorhexidine or corticosteroid mouthwash for symptomatic relief.<sup>1</sup> If there are any concerns for infection, a course of antibiotics could be prescribed.

## References

1. Brand H, Dun S, Nieuw Amerongen, A. Ecstasy (MDMA) and oral health. *Br Dent J* 2008; **204**: 77–81. <https://doi.org/10.1038/bdj.2008.4>
2. Brazier W, Dhariwal D, Patton D, Bishop K. Ecstasy related periodontitis and mucosal ulceration – a case report. *Br Dent J* 2003; **194**: 197–199. <https://doi.org/10.1038/sj.bdj.4809908>

Y. Lin, Plymouth, UK