



Peninsula Medical School Faculty of Health

2024-01-01

Mapping Patients' Online Record Access Worldwide: Preliminary

Results from an International Survey of Healthcare Experts	,
A Kharko	
C Blease	

A Moen

M Johansen

et al

Let us know how access to this document benefits you

General rights

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author. Take down policy

If you believe that this document breaches copyright please contact the library providing details, and we will remove access to the work immediately and investigate your claim.

Follow this and additional works at: https://pearl.plymouth.ac.uk/pms-research

Recommended Citation

Kharko, A., Blease, C., Johansen, M., Moen, A., & et al. (2024) 'Mapping Patients' Online Record Access Worldwide: Preliminary Results from an International Survey of Healthcare Experts', Studies in Health Technology and Informatics, . IOS Press: Retrieved from https://pearl.plymouth.ac.uk/pms-research/1473 This Conference Proceeding is brought to you for free and open access by the Faculty of Health at PEARL. It has been accepted for inclusion in Peninsula Medical School by an authorized administrator of PEARL. For more information, please contact openresearch@plymouth.ac.uk.

01 University of Plymouth Research Outputs

University of Plymouth Research Outputs

2024-01-25

Mapping Patients' Online Record Access Worldwide: Preliminary Results from an International Survey of Healthcare Experts

Kharko, A

https://pearl.plymouth.ac.uk/handle/10026.1/22030

10.3233/shti230938
Studies in Health Technology and Informatics IOS Press

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

© 2024 International Medical Informatics Association (IMIA) and IOS Press.

This article is published online with Open Access by IOS Press and distributed under the terms of the Creative Commons Attribution Non-Commercial License 4.0 (CC BY-NC 4.0).

doi:10.3233/SHT1230938

Mapping Patients' Online Record Access Worldwide: Preliminary Results from an International Survey of Healthcare Experts

Anna KHARKO^{a,b,1}, Charlotte BLEASE^{a,c}, Monika JOHANSEN^d, Anne MOEN^{d,c}, Isabella SCANDURRA^f, Brian McMILLAN^g and Maria HÄGGLUND^a

^aDepartment of Women's and Children's Health, Uppsala University, Sweden

^bFaculty of Health, University of Plymouth, Plymouth, United Kingdom

^cBeth Israel Deaconess Medical Center, Harvard Medical School, Boston, USA

^dNorwegian Centre for E-health Research, University Hospital of North Norway,

Tromsø, Norway

^cInstitute for Health and Society, Faculty of Medicine, University of Oslo, Norway

^fInformatics, School of Business, Örebro University, Örebro, Sweden

^gCentre for Primary Care and Health Services Research, University of Manchester,

Manchester, United Kingdom

ORCiD ID: Anna Kharko https://orcid.org/0000-0003-3657-2476, Monika Johansen https://orcid.org/0000-0002-3825-9355, Isabella Scandurra https://orcid.org/0000-0002-2597-1079, Brian McMillan https://orcid.org/0000-0002-6839-3651

Abstract. While research on the effects of patient access to health records is increasing, a basic understanding of the spread of patient-accessible electronic health records worldwide is lacking. In this survey of healthcare experts with professional and personal experience from 29 countries, we explored the state of patient online record access (ORA). We asked participants whether ORA exists in their country and which information is available through it. Experts in all polled countries reported having some national access to health records, with 6 (21%) countries providing exclusively paper-based records and 23 (79%) countries having ORA. Overview of test/lab results and prescription/medication lists were the most commonly available information. Free-text clinical notes were accessible in less than half of the surveyed countries (12, 41%). We will continue to map the state of patient ORA, focusing on traditionally underrepresented countries.

Keywords. Patient accessible electronic health records, PAEHR, online record access, ORA, patient portal, electronic health record, EHR

.

¹ Corresponding Author: Anna Kharko, email: anna.kharko@kbh.uu.se.

1. Introduction

Patient access to electronic health records (EHRs) has increased worldwide since the turn of the century. In the USA, for example, the Health Insurance Portability and Accountability Act of 1996 gave patients the right to obtain copies of their clinical notes. Still, access to paper notes is cumbersome, time-consuming, and burdensome for patients [1]. In April 2021, following the implementation of the Cures Act, nationwide patient access was rolled out in the USA. In other countries, such as Sweden and Estonia, patients' online record access (ORA) has been available for longer: in the case of Estonia as early as 2008. Much of the current findings point to benefits from reading health records when patient access is available [2, 3]. There has been, however, limited research into the global spread of patient access - whether paper-based or ORA, and what information patients can access [4]. Importantly, little is known about the extent of record access beyond so-called W.E.I.R.D (Western, Educated, Industrialised, Rich, Democratic) countries [5].

The Citizen and Health Data Working Group at the European Federation of Medical Informatics (EFMI) initiated the first steps towards mapping the state of patient-accessible health records worldwide. Our goal was to establish a rudimentary understanding about the state of health record access across the world, namely whether ORA exists, and which information patients can access via ORA.

2. Methods

In order to assess the state of patient ORA on a global scale, we conducted an online survey with experts in EHRs and healthcare. The survey consisted of 15 items, of which 8 were close-ended questions (single- or multiple-choice) and 7 were free-text questions. Items focused on two topics: basic participant information (country of residence, self-rated expertise, area of expertise) and patient access to health records in participant's country (availability of patient access to health records, what health information is available through ORA, ORA to free-text clinical notes). All close-ended questions were mandatory.

The survey was created and distributed through Qualtrics (Qualtrics, Provo, UT). IP addresses and location were not recorded. A survey link was distributed through the professional networks of the research team as well as on social media (Twitter, LinkedIn, and Facebook) between April and September 2022.

There were two parts to the analysis. First, we calculated descriptive statistics related to the participants (expertise rating and area of expertise). Second, we focused on the presence of features in countries (patient access to health records, health records information, and clinical notes). Where there was disagreement between participants on the presence of a feature, the majority response was recorded. Due to the exploratory nature of the study, analysis included descriptive statistics such as count, percentage, median (M) and median absolute deviation (MAD). Statistics were calculated in JASP v0.16.2 (JASP Team, University of Amsterdam) and the figure was created with Datawrapper. Qualitative analysis of the free-text comments is not reported in this paper.

Data was downloaded to a password-protected drive accessible only to the research team. The survey did not collect sensitive or identifying personal information and was exempt from ethical review in accordance with Swedish legislation. Survey

respondents were informed of the purpose of the survey and that participation was voluntary.

3. Results

The survey was completed by 156 respondents from 29 countries: Argentina, Australia, Austria, Belgium, Brazil, Bulgaria, Canada, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Ireland, Israel, Italy, Netherlands, New Zealand, Norway, Poland, Russia, Spain, Sweden, Switzerland, Turkey, the UK, and USA (see Figure 1). The geographical representation of the sample was uneven, with most responses coming from countries in Northern and Western Europe (n = 14, 48%) and North America (n = 2, 7%). Almost a quarter of individual responses came from the UK (n = 34, 22%), followed by the US (n = 12, 8%) and Sweden (n = 11, 7%).




Figure 1. Geographical distribution of responses at the time of analysis.

Participants' self-rated expertise ranged from '0 - No expertise' (n = 8, 5.1%), through '1 - Minimal expertise' (n = 18, 11.5%) to '5 - Highest expertise' (n = 23, 14.7%) with a median rating of M = 3 (MAD = 1). As seen in Table 1, most reported professional expertise (n = 103, 66%) but many also pointed to personal expertise (n = 82, 53%).

		Participants (Total = 156)	
	n	%	
Area of expertise a			
Professional expertise			
Research	50	24.4%	
Healthcare professional	21	10.0%	
Service development & management (non-IT)	14	6.5%	
Service development & management (IT)	12	6.0%	
Policymaking & government	6	2.5%	
Personal expertise			
Patient experience	70	34.3%	
Caregiver experience	8	5.1%	
Activism	4	2.0%	
Undetermined	11	5.5%	

Table 1. Participants areas of expertise.

^a Multiple-choice question, the total does not add up to the sample size.

3.5%

Based on expert responses, all 29 countries provide patients with some form of access to their health records, be it paper-based or ORA (Table 2). Six countries (20.7%) were reported to exclusively provide paper-based access through the public health system (these were the Czech Republic, Germany, Greece, Ireland, Russia, Switzerland). The remaining 23 countries (79%) had patient ORA, with or without the need for a formal request. Of the countries that have ORA, participants indicated that patient portals were available nationwide in 13 (44.8%) countries, regionally in 4 (13.8%) countries, and limited to certain medical providers in 5 countries (17%).

		Countries (Total = 29)	
	n	%	
Access to health records a			
Paper-based copy after formal request	18	62.0%	
Access through online patient portal after formal request	3	10.3%	
Access through online patient portal without a formal request	15	51.7%	
No access	_	_	
Information available to patients in online health records ^a			
Lab / Test results	22	75.9%	
Prescriptions / Medication list	20	69.0%	
Immunisations	15	51.7%	
Diagnoses and conditions	15	51.7%	
Discharge notes / Summaries / Epicrises	14	20.3%	
Referrals	9	31.0%	
Health information about dependants	8	27.6%	
Diagnostic imaging	4	13.8%	
Access to free-text clinical notes from a			
Primary care	8	27.6%	
Hospital/Secondary Care (non-psychiatric)	7	24.1%	
Hospital/Secondary Care (psychiatric/psychotherapy)	3	10.3%	
Social Work/Municipality Care/Home Care	2	7.0%	

Table 2. Number of countries with patient access to online health records.

No patient access to free-text clinical notes

The type of information most commonly reported as being available to patients through ORA, was lab/test results (n = 22, 75.9%) followed by prescriptions/ medication list (n = 20, 69%), while diagnostic imaging was the least (n = 4, 13.8%). Free-text clinical notes were also not commonly made available to patients, with less than half of the countries (n = 12, 41%) providing them at some level of care (Table 2).

4. Discussion

Access to health records exclusively through paper-based copies in this exploratory international survey was less extensive as ORA. Even among countries offering ORA, there was wide variation with respect to what patients could access. The most commonly reported information available via ORA was lab/test results, prescriptions/medication lists, immunisations, and diagnoses. Notably, even among countries offering ORA, access to online free text entries was less extensive.

This study has several limitations. First, while we strived to survey experts, many participants did not consider themselves to be such despite working professionally with EHRs or having extensive patient experience. This brings the possibility that potential respondents did not complete the survey due to a perceived lack of expertise. Relatedly,

^a Multiple-choice question, the total does not add up to the sample size.

there was a limited number of replies from some countries, particularly those in Southern Europe and South America, which resulted in an equal number of conflicting answers and prevented the record of a majority response. It is crucial to increase the number of responses per country to overcome limitations stemming from individual knowledge such as lack of experience with features, e.g. access to dependant's records or regional differences. Further efforts will be made to encourage participation. Last but not least, W.E.I.R.D. countries were overrepresented in this preliminary dataset [5]. In order to gain a truly global perspective on patient record access, we must broaden the geographical representation. This will be the focus of our future work.

We will continue data collection through targeted survey distribution with the aim to create an open collaborative database of global patient ORA. We foresee it to include basic details about a given country's national health records platform, relevant laws on patient access to health records, and a functions list.

5. Conclusions

The findings from this survey give a first look at the global advance of ORA but its accurate mapping will not be possible without experts from underrepresented countries. The EFMI Citizen and Health Data Working Group invites experts with professional and personal experiences to join us in researching patient ORA.

References

- Blease C, Salmi L, Rexhepi H, Hägglund M, DesRoches CM. Patients, clinicians and open notes: information blocking as a case of epistemic injustice. J Med Ethics. 2021 May;48(10):785-93, doi: 10.1136/medethics-2021-107275.
- [2] Zanaboni P, Kummervold PE, Sørensen T, Johansen MA. Patient use and experience with online access to electronic health records in norway: results from an online survey. J Med Internet Res. 2020 Feb;22(2):e16144, doi: 10.2196/16144.
- [3] Benjamins J, Haveman-Nies A, Gunnink M, Goudkuil A, de Vet E. How the use of a patient-accessible health record contributes to patient-centered care: scoping review. J Med Internet Res. 2021 Jan;23(1):e17655. doi: 10.2196/17655.
- [4] Essén A, Scandurra I, Gerrits R, Humphrey G, Johansen MA, Kierkegaard P, Koskinen J, Liaw ST, Odeh S, Ross P, Ancker JS. Patient access to electronic health records: differences across ten countries. Health Policy Technol. 2018 Mar;7(1):44-56, doi: 10.1016/j.hlpt.2017.11.003.
- [5] Henrich J, Heine SJ, Norenzayan A. The weirdest people in the world? Behav Brain Sci. 2010 Jun;33(2-3):61-83, doi: 10.1017/S0140525X0999152X.